

Test Report Date: 16 Mar 2021 Page 1 of 22 No. TAOEC2100797311

SHANDONG JINGDAO MICROELECTRONICS CO.,LTD NO.166 CHUNQIU EAST ROAD, QUFU, JINING, SHANDONG

The following sample(s) was/were submitted and identified on behalf of the clients as: MEDIUM AND HIGH POWDER SEMICONDUCTOR DEVICES

SGS Job No.: QP21-000476 - QD

Model No.: **GBU**

Client Ref. Information: Other Model No.:

KBP(GBP),KBJ(GBJ),TO-251,TO-252,TO-220,ITO-220,TO-263,JDBFC,4032,322

Supplier: SHANDONG JINGDAO MICROELECTRONICS CO.,LTD Manufacturer: SHANDONG JINGDAO MICROELECTRONICS CO.,LTD

Date of Sample Received: 26 Feb 2021

Testing Period: 26 Feb 2021 - 12 Mar 2021

Test Requested: Selected test(s) as requested by client.


Test Method: Please refer to next page(s). Test Results: Please refer to next page(s).

Based on the performed tests on submitted sample ID 004, the results of Lead, Conclusion:

Mercury, Cadmium, Hexavalent chromium comply with the limits as set by RoHS

Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of SGS-CSTC Standards Technical Services (Qingdao) Co., Ltd.







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 2 of 22

Test Results:

Test Part Description:

Specimen No. SGS Sample ID **Description** SN1 TAO21-007973.003 black solid(mix all) SN₂ TAO21-007973.004 silvery metal

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

With reference to IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	-	mg/kg	2	5646▲
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction is usuased defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's selection is a company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com



Test Report	No. TAOEC21007973	11	Date: 1	6 Mar 2021	Page 3 of 22
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>003</u>	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Di-butyl Phthalate (DBP)	1000	mg/kg	50	ND	
Benzyl Butyl Phthalate (BBP)	1000	mg/kg	50	ND	
Di-2-Ethyl Hexyl Phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:12586 37,25
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (4) According to the declaration from the client, Lead (Pb) in No.003 is exempted by EU RoHS directive 2011/65/EU based on |ANNEX III 7(c)-I|: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
- (5) According to the declaration from the client, Lead (Pb) in No.003 is exempted by EU RoHS directive 2011/65/EU based on |ANNEX III 7(a)|: Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- (6)The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015, analyzed by ICP-OES, AAS and UV-Vis.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND

Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China 266101 t (86-532) 68999888

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 4 of 22

(2) IEC 62321 series is equivalent to EN 62321 series https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID: 1258637.25

- (3) ▼= a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µg/cm². The sample coating is considered to contain CrVI
 - b. The sample is negative for CrVI if CrVI is ND (concentration less than 0.10 µg/cm²). The coating is considered a non-CrVI based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

<u>Halogen</u>

Test Method: With reference to EN 14582: 2016, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Notes:

- The test was subcontracted to SGS Tianjin chemical lab.

Element(s)

Test Method: With reference to US EPA 3052:1996 、US EPA 3051A:2007 、US EPA 6010C:2007, analyzed by ICP-OES.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Arsenic (As)	mg/kg	10	ND
Antimony (Sb)	mg/kg	10	ND
Sb ₂ O ₃ ◆	mg/kg	12	ND
Beryllium (Be)	mg/kg	5	ND
Phosphorus (P)	mg/kg	20	73
Tin (Sn)	mg/kg	5	398

Notes:

- ◆Calculated concentration of Sb₂O₃ is based on the identified Sb



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China 266101 t (86-532) 68999888

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 5 of 22

Polyvinyl chloride (PVC) component

Test Method: SGS In house method(SHTC-CHEM-SOP-347-T), analysis was performed by

Pyrolysis-GC-MS.

Test Item(s)UnitMDL003Polyvinyl chloride component%0.05ND

Notes:

- (1) Polyvinyl chloride component includes its present in copolymer.
- (2) The test was subcontracted to SGS Shanghai chemical lab.

Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCP), Alkanes C14-C17, chloro (Medium-chain Chlorinated Paraffins) (MCCP)

Test Method: With reference to ISO 18219: 2015, analysis was performed by GC-NCI-MS

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Alkanes C10-C13, chloro (short-chain chlorinated	mg/kg	50	ND
paraffins) (SCCP)			
Alkanes C14-C17, chloro (Medium-chain	mg/kg	50	ND
Chlorinated Paraffins) (MCCP)			

Tetrabromobisphenol A (TBBP-A)

Test Method: SGS in house method-TJChemLab-TOP-036-2 (With reference to US EPA 3550C:2007 、US

EPA 3540C:1996 US EPA 8270D:2014), analyzed by GC-MS.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Tetrabromobisphenol A (TBBP-A)	mg/kg	10	ND

Notes:

- The test was subcontracted to SGS Tianjin chemical lab.

Hexabromocyclododecane (HBCDD)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Test Report No. TAOEC2100797311 Page 6 of 22 Date: 16 Mar 2021

Test Method: SGS in house method-TJChemLab-TOP-059 (With reference to US EPA 3550C:2007 、 US EPA

8270D:2014), analyzed by GC-MS.

Test Item(s) Unit **MDL** <u>003</u> ND Hexabromocyclododecane (HBCDD) mg/kg 10

Notes:

- The test was subcontracted to SGS Tianjin chemical lab.

Phthalates

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Dibutyl Phthalate (DBP)	84-74-2	%	0.003	ND
Benzylbutyl Phthalate (BBP)	85-68-7	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	%	0.003	ND
Diisononyl Phthalate (DINP)	28553-12-0/	%	0.01	ND
	68515-48-0	•		
Di-n-octyl Phthalate (DNOP)	117-84-0	%	0.003	ND
Diisodecyl Phthalate (DIDP)	26761-40-0/	%	0.01	ND
	68515-49-1			
Dimethyl Phthalate (DMP)	131-11-3	%	0.003	ND
Diethyl Phthalate (DEP)	84-66-2	%	0.003	ND
Dipropyl Phthalate (DPrP)	131-16-8	%	0.003	ND
Diisobutyl Phthalate (DIBP)	84-69-5	%	0.003	ND
Diundecyl Phthalate (DUP,DUDP)	3648-20-2	%	0.003	ND
Di-n-pentyl Phthalate (DnPP)	131-18-0	%	0.003	ND
1,2-Benzenedicarboxylic,dihexylester, branched and	68515-50-4	%	0.01	ND
linear (DHP)	84-61-7	%	0.003	ND
Dicyclohexyl Phthalate (DCHP)				
Diphenyl Phthalate (DPhP)	84-62-8	%	0.003	ND
Dibenzyl Phthalate (DBzP)	523-31-9	%	0.003	ND
Dinonyl Phthalate (DNP)	84-76-4	%	0.003	ND
Diisooctyl Phthalate (DiOP)	27554-26-3	%	0.01	ND
Bis(2-methoxyethyl) Phthalate (DMEP)	117-82-8	%	0.003	ND
Diallyl Phthalate (DAP)	131-17-9	%	0.003	ND
n-decyl, n-octyl Phthalate (nDnOP)	119-07-3	%	0.003	ND
Di-n-decyl Phthalate (DnDP)	84-77-5	%	0.003	ND
Diisopentyl Phthalate (DIPP)	605-50-5	%	0.003	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction is usuased defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's selection is a company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com



Test Report	No. TAOEC2100797	7311	Date: 16 Mar 20	21	Page	7 of 22
Test Item(s)		CAS NO.	<u>।</u>	<u>Jnit</u>	MDL	003
n-pentyl Isopentyl phthalate(nPiPP)		776297-69-9)	%	0.003	ND
Di-n-hexyl Phthalate (DnHP)		84-75-3		%	0.003	ND
1,2-Benzenedicarboxylic acid, di-C7-	11-branched and	68515-42-4		%	0.01	ND
linear alkyl esters (DHNUP)						
1,2-Benzenedicarboxylic acid, di-C6-8	B-branched alkyl	71888-89-6		%	0.01	ND
esters, C7-rich (DIHP)						
1,2-Benzenedicarboxylic acid,dipenty	lester, branched and	84777-06-0		%	0.003	ND
linear (DPP)						
Di-iso-nonyl adipate (DINA)		33703-08-1		%	0.003	ND
Bis (4-methyl-2-pentyl) Phthalate(BM	PP)	146-50-9		%	0.003	ND
Bis (2-ethoxyethyl) Phthalate(DEEP)		605-54-9		%	0.003	ND
Bis (2-n-butoxyethyl) Phthalate(DBEF	P)	117-83-9		%	0.003	ND
Di(2-propylheptyl)Phthalate (DPHP)		53306-54-0		%	0.003	ND
Di(2-ethyhexyl)adipate (DEHA)		103-23-1		%	0.003	ND
Di-n-octyl adipate (DNOA)		123-79-5		%	0.003	ND
Bis(2-ethylhexyl) terephthalate (DOTF	P)	6422-86-2		%	0.003	ND

Perfluorooctanesulfonate (PFOS) and its derivatives and Perfluorooctanoic Acid (PFOA) and its salts

Test Method: With reference to CEN/TS 15968:2010, analysis was performed by LC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>003</u>
Perfluorooctanesulfonate (PFOS) and its derivatives	-	mg/kg	-	ND
Perfluorooctane Sulfonates (PFOS) [^]	1763-23-1	mg/kg	10	ND
2-(N-methylperfluoro- 1-octanesulfonamido) -ethanol (MeFOSE)	24448-09-7	mg/kg	10	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (EtFOSE)	1691-99-2	mg/kg	10	ND
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	mg/kg	10	ND
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	mg/kg	10	ND
Perfluorooctane sulfonamide (PFOSA)	754-91-6	mg/kg	10	ND
Perfluorooctanoic Acid (PFOA) and its salts+		mg/kg	10	ND

Notes:

(1)^ PFOS refer to its acid, salts/derivatives including PFOS (CAS No.: 1763-23-1), PFOS-K (CAS No.: 2795-39-3), PFOS-Li (CAS No.: 29457-72-5), PFOS-NH4 (CAS No.: 29081-56-9), PFOS-NH(OH)2 (CAS No.: 70225-14-8) and PFOS-N(C2H5)4 (CAS No.: 56773-42-3), PFOS-N(CH3)2(C10H21)2 (CAS No.:251099-16-8) and POSF (CAS No.: 307-35-7).

(2) PFOA and its salts+ refer to its acid / salts including PFOA (CAS No.: 335-67-1), PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.: 335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China 266101 t (86–532) 68999888

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 8 of 22

Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	MDL	003
Benzo(a)pyrene(BaP)	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	mg/kg	0.1	ND
Chrysene(CHR)	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	mg/kg	0.1	ND
Acenaphthylene(ANY)	mg/kg	0.1	ND
Acenaphthene(ANA)	mg/kg	0.1	ND
Fluorene(FLU)	mg/kg	0.1	ND
Phenanthrene(PHE)	mg/kg	0.1	ND
Pyrene(PYR)	mg/kg	0.1	ND
Anthracene(ANT)	mg/kg	0.1	ND
Fluoranthene(FLT)	mg/kg	0.1	ND
Sum of Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene,	mg/kg	-	ND
Anthracene, Fluoranthene			
Naphthalene(NAP)	mg/kg	0.1	ND
Sum of 18 PAHs	mg/kg	-	ND

Notes:

As per client information, the tested sample is not children product which is with reference to the directive of German ProdSG.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Test Report

No. TAOEC2100797311 Date: 16 Mar 2021 Page 9 of 22

Client requirements

Chem requirements	ı				
	Category 1	Cat	egory 2	Categ	ory 3
Parameter	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s)	by categorinto long- (more that short-terr contact ^c v	e intended or	Materials cov neither by ca nor by catego coming into s contact (up to skin during the	tegory 1 ory 2, short-term o 30s) with ne intended
(mg/kg)	during the intended use -in toys according to Directive 2009/48/EC or -for the use by children ^{a,b} up to 3 years of age.	a. use by children	b. other consumer products	a. use by children	b. other consumer products
Benzo(a)pyrene (BaP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene (BeP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene (BaA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene (DBA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(1,2,3-cd)pyrene (IPY)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Sum of 7 PAHs (Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene)	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene (NAP)	< 1		< 2 < 10		
Sum of 18 PAHs	<1	< 5	< 10	< 20	< 50

Note

- ^a A "Child" is legally defined as a person before reaching the age of 14 years.
- b Use by children includes both active and passive contact by children.
- ^c Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.
- 1272/2013)
- d According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

Remark:

The classification of material categories is refer to AfPS GS 2019:01 PAK issued on 10 April, 2020. The Acenaphthylene (ANY), Acenaphthene (ANA) and Fluorene (FLU) are not in the scope of AfPS 2019:1 PAK which is additionally in scope of AfPS GS 2014:01 PAK and recommended in connection with §30 LFGB product safety requirements.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China 266101 t (86-532) 68999888


www.sgsgroup.com.cn sgs.china@sgs.com



Test Report No. TAOEC2100797311 Page 10 of 22 Date: 16 Mar 2021

ATTACHMENTS

SCCP/MCCP Testing Flow Chart






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 11 of 22

ATTACHMENTS

Halogen Testing Flow Chart






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 12 of 22

ATTACHMENTS

HBCDD Testing Flow Chart






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No. TAOEC2100797311 Date: 16 Mar 2021 Page 13 of 22

ATTACHMENTS

Elementary Testing Flow Chart








No. TAOEC2100797311

Page 14 of 22

Date: 16 Mar 2021

PAHs Testing Flow Chart








No. TAOEC2100797311

Page 15 of 22

Date: 16 Mar 2021

PBBs/PBDEs Testing Flow Chart








No. TAOEC2100797311

Page 16 of 22

Date: 16 Mar 2021

PFOS/PFOA Testing Flow Chart








No. TAOEC2100797311

Page 17 of 22

Date: 16 Mar 2021

Phthalates Testing Flow Chart








No. TAOEC2100797311

Page 18 of 22

Date: 16 Mar 2021

PVC Testing Flow Chart








Test Report No. TAOEC2100797311 Date: 16 Mar 2021

ATTACHMENTS

Hexavalent Chromium (Cr(VI)) Testing Flow Chart





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China 266101 t (86–532) 68999888

www.sgsgroup.com.cn sgs.china@sgs.com

Page 19 of 22



Test Report

No. TAOEC2100797311


Page 20 of 22

Date: 16 Mar 2021

ATTACHMENTS

Elements (IEC62321) Testing Flow Chart

1) These samples were dissolved totally by pre-conditioning method according to below flow chart.








Test Report


No. TAOEC2100797311

Page 21 of 22

Date: 16 Mar 2021

Sample photo:








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction is usuased defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's selection is a company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com



Test Report No. TAOEC2100797311 Page 22 of 22 Date: 16 Mar 2021



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction is usuased defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's selection is a company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's esponsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com